



**STATS  
PERFORM**

**BASEBALL - MLB - DATA DICTIONARY  
EVENTS**

**30-AUG-23**

**1.1.0**

## **DISCLAIMER**

This document and any attachments here may contain proprietary and confidential information (“Confidential Information”) of the Stats Perform. Such Confidential Information is valuable, confidential and proprietary information of the Stats Perform, constitutes trade secrets of Stats Perform and notwithstanding disclosure herein, such Confidential Information remains the exclusive property of the Stats Perform and should not be used or disclosed for any reason.

# GENERAL INFORMATION

## REVISION HISTORY

REVISION	INFORMATION	AUTHOR	REFERENCE DATE
1.0.0	Document Review & Update	Varadraj	28-Dec-21
1.0.1	Datapoints added	Bhargavi	20-JUL-22
1.1.0	Datapoints added	Bhargavi	30-AUG-23

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
<b>Statistics Wrapper</b>										
<b>sport</b>	sportId						Integer	2		
	name						String	Baseball		
	<b>league</b>	leagueId					Integer	7		
		name					String	Major League Baseball		
		abbreviatio n					String	MLB		
		displayNa me					String	Major League Baseball		
		<b>season</b>	season				Integer	2021		
			name				String	2021 MLB Season		
			isActive				Boolea n	true		
			<b>eventType</b> []	eventTypel d			Integer	1	- Spring Training - Regular Season - Postseason	
				name			String	Regular Season	- All-Star Game	
<b>Events</b>										
<b>events[]</b>	eventId						Integer	2297571	gamecode (global- id)	
	seriesId						Integer	473		
	<b>eventRoun d</b>	eventRoun dId					Integer		Does not appear if null or not applicable. - Wild Card - Divisional Playoffs - League Championship - World Series	
		name					String	World Series	Does not appear if null or not applicable	
		gamesInSe ries					Integer	7	Number of games in a post season series; does not appear if null or notapplicable	
	<b>startDate[]</b>	year					Integer	2021		
		month					Integer	4		
		date					Integer	1		
		hour					Integer	13		
		minute					Integer	15		
		full					Date	2021-04- 1T13:15:00		
		dateType					String	Local	Local/UTC/Easter n	
	<b>endDate[]</b>	year					Integer	2021		Only when event is final
		month					Integer	4		
		date					Integer	1		
		hour					Integer	13		
		minute					Integer	15		
		full					Date	2021-04- 1T13:15:00		
		dateType					String	Eastern	Local/UTC/Easter n	
	isTba						Boolea n	true		
	<b>isDataCon fi rmed</b>	box					Boolea n	true		
		pbp					Boolea n	true		
		score					Boolea n	true		
		ttl					Boolea n	true	Will be true when TVL is complete	
	<b>eventStat u s</b>	eventStatu sId					Integer	4	See event status decode endpoint	
		name					String	Final		
		reason					String	Rain	Does not appear ifnull or not applicable	
		balls					Integer	2	Will be null if game is Final	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
		strikes					Integer	1	Will be null if game is Final	
		outs					Integer	2	Will be null if game is Final	
		inning					Integer	9		
		inningDivision					String	Bottom	Will be null if game is Final	
		isActive					Boolean	false	false before/after games (and duringdelays); false between half-innings; otherwise true. Example: after the conclusion of the top of the 1st, isActive will move to false and inning/inningDivision will move to the bottom of the 1st	
		<b>currentBatter</b>	playerId				Integer	46467	Does not appear if null or not applicable	
			firstName				String	Ichiro	Does not appear if null or not applicable	
			lastName				String	Suzuki	Does not appear if null or not applicable	
			displayName				String	Ichiro	Only appears when displayName should be used as a primary means of displaying a name	
			uniform				String	17	May not be available for historical seasons	
			isTemporaryPlayerId				Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			<b>batSide</b>	handId			Integer	1	Does not appear if null or not applicable	
				name			String	Left	Does not appear if null or not applicable	
		<b>runnersOnBase[]</b>	baseNumber				Integer	2	Does not appear if null or not applicable	
			<b>player</b>	playerId			Integer	46467	Does not appear if null or not applicable	
				firstName			String	Ichiro	Does not appear if null or not applicable	
				lastName			String	Suzuki	Does not appear if null or not applicable	
				displayName			String	Ichiro	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporaryPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
	isDoubleheader						Boolean	true		
	<b>doubleheaderInfo</b>	gameNumber					Integer	2	1 or 2	
		partnerEventId					Integer	1469040	gamecode (global-id) of the other game	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
	<b>venue</b>	venueId					Integer	398	See venues decode endpoint	
		name					String	Ewing Kaufman Stadium		
		city					String	Kansas City		
		<b>attendanceInfo</b>	reasonId				Integer	1	0 = Full Audience 1 = No Audience 2 = Limited Audience	
			reasonDesc				String	No Audience	Full Audience/No Audience/Limited Audience	
		<b>state</b>	stateId				Integer	25	See states decode endpoint	
			name				String	Missouri		
			abbreviation				String	MO		
		<b>country</b>	countryId				Integer	1	See countries decode endpoint	
			name				String	United States		
			abbreviation				String	USA		
		zipCode					String	48201		
	<b>tvStations []</b>	tvStationId					Integer	680		
		name					String	Fox Sports Florida		
		callLetters					String	FSFL		
		<b>networkType</b>	networkTypeId				Integer	1		
			name				String	National	National/Regional	
		<b>country</b>	countryId				Integer	1	See countries decode endpoint	
			name				String	United States		
			abbreviation				String	USA		
	<b>teams []</b>	teamId					Integer	231		teamIds will be null when teams are unknown
		location					String	Kansas City		
		nickname					String	Royals		
		abbreviation					String	KC		
		<b>teamLocationType</b>	teamLocationTypeId				Integer	1		
			name				String	home	home/away	
		<b>conference</b>	conferenceId				Integer	5	See conferences decode endpoint	
			name				String	American League		
			abbreviation				String	AL		
		<b>record</b>	wins				Integer	8	As of this date including this game, only when applicable, usually not postseason	
			losses				Integer	4	As of this date including this game, only when applicable, usually not postseason	
			ties				Integer	0	Will not appear if null or not applicable; as of this date including this game, only when applicable, usually not postseason	
			percentage				String	0.666	Will not appear if null (0-0 record results in null percentage)	
		<b>linescores []</b>	inning				Integer	1	Will not appear if game is Final	
			score				Integer	2	Will not appear if game is Final	
		isWinner					Boolean	true		

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
		isSplitSquad					Boolean	true		
		<b>pitchers[]</b>	<b>type</b>	typeId			Integer	3		
				name			String	lose	win/lose/save/probable starter	
			<b>player</b>	playerId			Integer	200888		
				firstName			String	James		
				lastName			String	Shields		
				displayName			String	James Shields	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			wins				Integer	0		
			losses				Integer	1		
			earnedRunAverage				String (formatted decimal)	4.22		
		<b>series</b>	wins				Integer	0	Post season only	
			losses				Integer	1	Post season only	
			isSeriesWinner				Boolean	false	Post season only	
		<b>linescoreTotals</b>	runs				Integer	1		
			hits				Integer	4		
			errors				Integer	1		
		<b>liveState</b>	<b>currentPitcher</b>	playerId			Integer	200888	Will be null if game is Final	
				firstName			String	James	Will not appear if game is Final	
				lastName			String	Shields	Will not appear if game is Final	
				displayName			String	James Shields	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint. Will not appear if game is Final.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				<b>throwingHand</b>	handId		Integer	1	Will not appear if game is Final	
					name		String	Left	Will not appear if game is Final	
			<b>nextUpBatters[]</b>	playerId			Integer	200466	Will not appear if game is Final	
				firstName			String	Buster	Will not appear if game is Final	
				lastName			String	Posey	Will not appear if game is Final	
				displayName			String	Buster Posey	Only appears when displayName should be used as a primary	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
									means of displaying a name. See name display decode endpoint. Will not appear if game is Final.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				batSide	handId		Integer	2	Will not appear if game is Final	
					name		String	Right	Will not appear if game is Final	
			isDueUp				Boolean	true	Will not appear if game is Final	
	makeupEventId						Integer	2444761		
	makeupDate	date	year				Integer	2022		
			month				Integer	4		
			date				Integer	8		
			hour				Integer	0		
			minute				Date	0		
			full				String	2022-04-08T00:00:00		
			dateType				String	Local		
	suspendedResumeDate	date	year				Integer	2023		
			month				Integer	7		
			date				Integer	15		
			hour				Integer	13		
			minute				Date	15		
			full				String	2023-07-15T18:15:00	Local/UTC/Eastern	
			dateType				String	Local		
	eventConference	conferenceId					Integer	5	null if is Interleague is true. See conferencesdecode endpoint.	
		name					String	American League	null if is Interleague is true	
		abbreviation					String	AL	null if is Interleague is true	
		isInterleague					Boolean	true	true if game involves teams from different conferences	
	coverageLevel	coverageLevelId					Integer	2	See coverage level decode endpoint.	
		details					String	STATS feed		
		name					String	Level 2		
	extraGameInfo	gameOnTheBoard					Boolean	true		
		reporterLocation					String	Pressbox		
		videoReview					Boolean	true		
		shortStoppage					Boolean	true		
		shortStoppageReason					String	Video Review		
		tripToMound					Boolean	true		
	boxscores[]	teamId					Integer	231		
		playerBattlingStats[]	player	playerId			Integer	455874		
				firstName			String	Starlin		
				lastName			String	Castro		
				displayName			String	Starlin Castro	See name display decode endpoint.	



TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent	
			positionsPlayed				String	SS	Includes multiple positions if player moved, ie "SS-3B-SS". See positions decode endpoint	
			battingSlot				Integer	2		Not available for spring training
			slotIndex				Integer	1		
			<b>atBats</b>	game			Integer	4		
				season			Integer	168		
			<b>runs</b>	game			Integer	0		
				season			Integer	21		
			<b>hits</b>	game			Integer	2		
				season			Integer	46		
			<b>doubles</b>	game			Integer	2		
				season			Integer	8		
			<b>triples</b>	game			Integer	0		
				season			Integer	4		
			<b>homeRuns</b>	game			Integer	0		
				season			Integer	12		
			<b>stolenBases</b>	game			Integer	1		Not available for spring training
				season			Integer	8		
			<b>caughtStealing</b>	game			Integer	0		Not available for spring training
				season			Integer	3		
			gameWinningRunsBattedIn	game			Integer	0		
				season			Integer	5	Not available in-progress	
			<b>runsBattedIn</b>	game			Integer	1		
				season			Integer	33		
			<b>totalBases</b>	game			Integer	4		
				season			Integer	88		
			<b>walks</b>	game			Integer	1		
				season			Integer	24		
			<b>intentionalWalks</b>	game			Integer	0		
				season			Integer	4		
			<b>strikeouts</b>	game			Integer	0		
				season			Integer	44		
			<b>leftOnBase</b>	game			Integer	1		Not available for spring training
				season			Integer	24		
			<b>plateAppearances</b>	game			Integer	4		
				season			Integer	178		
			hitByPitch	game			Integer	0		
				season			Integer	4		
			groundIntoDoublePlay	game			Integer	0		
				season			Integer	8		
			ACRIFICE FLIES	game			Integer	10		
				season			Integer	5		
			sacrificeHits	game			Integer	0		
				season			Integer	8		
			pickedOff	game			Integer	1		
			battingAverage				String (formatted decimal)	0.288	A player's batting average for the season	
			onBasePercentage				String (formatted decimal)	0.344	A player's on base percentage for the season	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
			sluggingPercentage				String (formatted decimal)	0.466	A player's slugging percentage for the season	
			isGameStarted				Boolean	true		
			inningEnteredGame				Integer	1		
			substituteDesignation				String	a		
			substituteResult				String	flied out for Olivo in 9th		
			runnersMovedUp				Integer	2		
			twoOutRbi				Integer			Not available for spring training
			twoOutRispLob				Integer			Not available for spring training
			groundballs	game			Integer	1		Not available for spring training
				season			Integer	22		
			flyballs	game			Integer	1		Not available for spring training
				season			Integer	12		
		<b>playerPitchingStats[]</b>	<b>player</b>	playerId			Integer	326740		
				firstName			String	Jeff		
				lastName			String	Samardzija		
				displayName			String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			sequence				Integer	1		
			record	wins			Integer	4		
				losses			Integer	3		
			holds				Integer	0	Final only	
			saves				Integer	0	Final only	
			blownSaves				Integer	0	Final only	
			inningsPitched	game			String (formatted decimal)	7		
				season			String (formatted decimal)	88		
			<b>gamesPitched</b>	totalGames			Integer	12		
				starts			Integer	12		
			<b>hits</b>	game			Integer	4		
				season			Integer	48		
			<b>runs</b>	game			Integer	3		
				season			Integer	14		
			<b>earnedRuns</b>	game			Integer	2		
				season			Integer	13		
			<b>homeRuns</b>	game			Integer	1		
				season			Integer	8		
			<b>walks</b>	game			Integer	2		
				season			Integer	21		
			<b>strikeouts</b>	game			Integer	7		
				season			Integer	34		

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
			pitchCount				Integer	94		Not available for spring training
			balls				Integer	30		Not available for spring training
			strikes				Integer	64		Not available for spring training
			<b>battersFaced</b>	game			Integer	25		
				season			Integer	144		
			<b>opponentAtBats</b>	game			Integer	23		
				season			Integer	122		
			<b>groundballs</b>	game			Integer	5		Not available for spring training
				season			Integer	34		
			<b>flyballs</b>	game			Integer	4		Not available for spring training
				season			Integer	22		
			<b>groundOut</b>	game			Integer	0		
				season			Integer	0		
			<b>flyOut</b>	game			Integer	2		
				season			Integer	2		
			<b>sacrificeFlies</b>	game			Integer	1	Final only	
				season			Integer	5	Final only	
			<b>sacrificeHits</b>	game			Integer	0	Final only	
				season			Integer	8	Final only	
			inheritedRunners				Integer	0		
			inheritedStranded				Integer	0		
			<b>hitBatsmen</b>	game			Integer	1		
				season			Integer	8		
			<b>balks</b>	game			Integer	0		
				season			Integer	1		
			<b>wildPitches</b>	game			Integer	1		
				season			Integer	8		
			earnedRunAverage				String (formatted decimal)	2.33		
			opponentBattingAverage				String (formatted decimal)	0.244		
			inningEnteredGame				Integer	1		
			<b>doubles</b>	game			Integer	1		Not available for spring training
				season			Integer	4		
			<b>triples</b>	game			Integer	0		Not available for spring training
				season			Integer	3		
			<b>groundIntoDoublePlay</b>	game			Integer	1		Not available for spring training
				season			Integer	8		
			<b>stolenBases</b>	game			Integer	0		Not available for spring training
			<b>pickoffs</b>	game			Integer	0		Not available for spring training
				season			Integer	0		
			walksAndHitsPerInning				String (formatted decimal)	2.11		
			<b>intentionalWalks</b>	game			Integer	1		
				season			Integer	4		
			isWinningPitcher				Boolean	true	Final only	
			isLosingPitcher				Boolean	false	Final only	
			isSavePitcher				Boolean	false	Final only	
			isBlownSavePitcher				Boolean	false	Final only	
			isHoldingPitcher				Boolean	false	Final only	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
			isNoHitter				Boolean	false	Final only	
			isPerfectGame				Boolean	false	Final only	
			isCompleteGame				Boolean	false	Final only	
			isShutout				Boolean	false	Final only	
		<b>playerFieldingStats[]</b>	<b>player</b>	playerId			Integer	287511		
				firstName			String	Lorenzo		
				lastName			String	Cain		
				displayName			String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			<b>fieldingDetails[]</b>	<b>position</b>	positionId		Integer	8		
					name		String	Center Fielder		
					abbreviation		String	CF		
				<b>assists</b>	game		Integer	0		
					season		Integer	4		
				<b>putouts</b>	game		Integer	2		
					season		Integer	43		
				<b>errors</b>	game		Integer	0		
					season		Integer	2		
				<b>doublePlays</b>	game		Integer	0		
					season		Integer	3		
				<b>triplePlays</b>	game		Integer	0		
					season		Integer	0		
				<b>passedBalls</b>	game		Integer	0		
					season		Integer	0		
				<b>catcherCaughtStealing</b>	game		Integer	0		
					season		Integer	0		
		<b>teamStats</b>	atBats				Integer	30		
			runs				Integer	4		
			hits				Integer	8		
			runsBattedIn				Integer	4		
			totalBases				Integer	14		
			walks				Integer	3		
			strikeouts				Integer	8		
			runnersLeftOnBase				Integer	6		
			scoringPositionOpportunities				Integer	7		
			scoringPositionSuccesses				Integer	4		
			doublePlays				Integer	1		
			triplePlays				Integer	0		
			<b>doubles[]</b>	game			Integer	1		
			<b>pitchers[]</b>	playerId			Integer	326740		
				firstName			String	Jeff		
				displayName			String	Jeff Samardzija	Only appears when displayName should be used as a primary means of	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
									displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporarilyPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
					allowed		Integer	1	Number of doubles this player hit off this pitcher in this game	
				<b>player</b>	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayName		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporarilyPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				season			Integer	12		
			<b>triples[]</b>	game			Integer	1		
				<b>pitchers[]</b>	playerId		Integer	326740		
					firstName		String	Jeff		
					lastName		String	Samardzija		
					displayName		String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporarilyPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
					allowed		Integer	4	Number of triples this player hit off this pitcher in this game	
				<b>player</b>	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayName		String	Lorenzo Cain	See name display decode endpoint	
					uniform		String	18	May not be available for historical seasons	
					isTemporarilyPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent	
				season			Integer	4		
			<b>homeRuns[]</b>	game			Integer	1		
				<b>pitchers[]</b>	playerId		Integer	326740		
					firstName		String	Jeff		
					lastName		String	Samardzija		

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
					displayNa me		String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporar yPla yerId		Boolea n	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
					allowed		Integer	4	Number of triples this player hit off this pitcher in this game	
				<b>player</b>	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayNa me		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporar yPla yerId		Boolea n	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				season			Integer	8		
				<b>details[]</b>	inning		Integer	4		
					menOnBas e s		Integer	2		
					out		Integer	1		
					<b>pitcher</b>	playerId	Integer	326740		
						firstName	String	Jeff		
						lastName	String	Samardzija		
						displayN am e	String	Jeff Samardzija	See name display decode endpoint.	
						uniform	String	18	May not be available for historical seasons	
						isTempor ary PlayerId	Boolea n	true	Only appears when true; indicates that this playerId is not permanent	
			<b>stolenBas es[]</b>	game			Integer	1		
				<b>player</b>	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayNa me		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporar yPla yerId		Boolea n	true	Only appears when true; indicates that this playerId is not permanent and will not work via	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
									/participants/	
				season			Integer	24		
				<b>details[]</b>	baseNumber		Integer	2		
					<b>catcher</b>	playerId	Integer	326888		
						firstName	String	Randy		
						lastName	String	Hundley		
						displayName	String	Randy Hundley	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
						uniform	String	18	May not be available for historical seasons	
						isTemporaryPlayerId	Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
					inning		Integer	5		
					<b>pitcher</b>	playerId	Integer	326740		
						firstName	String	Jeff		
						lastName	String	Samardzija		
						displayName	String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
						uniform	String	18	May not be available for historical seasons	
						isTemporaryPlayerId	Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			<b>caughtStealing[]</b>	game			Integer	1		
				<b>player</b>	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayName		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				season			Integer	5		
				<b>details[]</b>	baseNumber		Integer	3		
					<b>catcher</b>	playerId	Integer	326888		
						firstName	String	Randy		
						lastName	String	Hundley		
						displayName	String	Randy Hundley	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
						uniform	String	18	May not be available for historical seasons	
						isTemporaryPlayerId	Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
					Inning		Integer	8		
					<b>pitcher</b>	playerId	Integer	326740		
						firstName	String	Jeff		
						lastName	String	Samardzija		
						displayName	String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
						uniform	String	18	May not be available for historical seasons	
						isTemporaryPlayerId	Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			twoOutRbi				Integer	1		
			twoOutRispLob				Integer	2		
			<b>doublePlayDetails[]</b>	description			String	Tinker to Evers to Chance		
				<b>fielders[]</b>	<b>player</b>	playerId	Integer	287511		Not available for spring training
						firstName	String	Joe		
						lastName	String	Tinker		
						displayName	String	JoeTinker	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
						uniform	String	1	May not be available for historical seasons	
						isTemporaryPlayerId	Boolean	true	only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
					<b>position</b>	positionId	Integer	3	See positions decode endpoint.	
						name	String	1st Baseman		
						abbreviation	String	1B		
			<b>triplePlayDetails[]</b>	description			String	Tinker to Evers to Chance		
				<b>fielders[]</b>	<b>player</b>	playerId	Integer	287511		
						firstName	String	Joe		
						lastName	String	Tinker		
						displayName	String	JoeTinker	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	Not available for spring training
						uniform	String	1	May not be available for historical seasons	
						isTemporaryPlayerId	Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	



TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
					<b>position</b>	positionId	Integer	3	See positions decode endpoint.	
						name	String	1st Baseman		
						abbreviation	String	1B		
			<b>hitBatters[]</b>	<b>batter</b>	playerId		Integer	287511		Not available for spring training
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayName		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				game			Integer	1	Number of times this batter was hit by this pitcher	
				<b>pitcher</b>	playerId		Integer	326740		
					firstName		String	Jeff		
					lastName		String	Samardzija		
					displayName		String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			<b>intentionalWalks[]</b>	<b>batter</b>	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayName		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				game			Integer		Number of times this batter was intentionally walked by this pitcher	
				<b>pitcher</b>	playerId		Integer	326740		
					firstName		String	Jeff		
					lastName		String	Samardzija		
					displayName		String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name.	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
									See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			catcherReference[]	catcher	playerId		Integer	326888		Not available for spring training
					firstName		String	Randy		
					lastName		String	Hundley		
					displayName		String	Randy Hundley	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				batter	playerId		Integer	287511		
					firstName		String	Lorenzo		
					lastName		String	Cain		
					displayName		String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
					uniform		String	18	May not be available for historical seasons	
					isTemporaryPlayerId		Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
	gameDetail	attendance					String	18197	Formatted number	
		capacity					String	42060	Formatted number	
		gameNotes					String	two outs when winning run scored	walkoff situational information	Not available for spring training
		pitcherNotes					String	Choate pitched to 1 batter in the 7th	Information when a pitcher does not record an out in an inning	
		timeOfGame	delayHours				Integer	0		
			delayMinutes				Integer	0		
			hours				Integer	3		
			minutes				Integer	22		
		umpireCrew[]	umpire	umpireId			Integer	323814		
				firstName			String	Scott		
				lastName			String	Barry		
			umpirePosition	umpirePositionId			Integer	2		
				name			String	HP		
		weather	description				String	Partly Cloudy		
			temperature				Integer	3	Temperature in degrees Fahrenheit (no decimals)	
			wind				String	5 MPH Out to Center		
	pbp[]	team	teamId				Integer	231	Will be null for starting lineup	Not available for spring training

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
			location				String	Kansas City	Will be null for starting lineup	
			nickname				String	Royals	Will be null for starting lineup	
			abbreviation				String	KC	Will be null for starting lineup	
		inning					String	1	Will be null for starting lineup	
		inningDivision					String	Top	Top/Bottom. Will be null for starting lineup	
		inningText					String	Top of 1	Will be null for starting lineup	
		description					String	Escobar grounded out. Cain struckout. Hosmer flew out.	Will be null for starting lineup	
		<b>linescore</b>	runs				Integer	0	Will be null for starting lineup	
			hits				Integer	0		
			errors				Integer	0		
		<b>pbpDetails[]</b>	pbpDetailId				Integer	44	See PBP Details decode endpoint	
			sequence				String	"12.1","12"	May or may not contain a decimal; can change postgame; ultimately used to order events	
			name				String	Ground Out		
			<b>pitches</b>	balls			Integer	2		
				strikes			Integer	1		
				Total			Integer	3		
			<b>outs</b>	before			Integer	1		
				after			Integer	2		
			direction				String	J		
			distance				Integer	140		
			battedBallType				String	G		
			battedBallVelocity				String	Hard		
			distanceFirstBase				String (formatted decimal)	123.123	See <a href="#">batted_ball_distance.pdf</a>	Not available for spring training. Live data reviewed and updated by end of next day.
			distanceThirdBase				String (formatted decimal)	123.123		
			hangTime				String (formatted decimal)	1.23		Not available for spring training. Not available for live stats. TVL only.
			<b>baseSituation</b>	beforeId			Integer	1		
				afterId			Integer	2		
			<b>scoreAfter</b>	homeScore			Integer	4		
				awayScore			Integer	4		
			hits				Integer	1		
			errors				Integer	1		
			<b>batter</b>	playerId			Integer	287511		
				firstName			String	Lorenzo		
				lastName			String	Cain		
				displayName			String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
									/participants/	
				battingSlot			Integer	2		
				endBase			Integer	0		
				<b>batSide</b>	handId		Integer	2		
					name		String	Right		
			<b>pitcher</b>	playerId			Integer	326740		
				firstName			String	Jeff		
				lastName			String	Samardzija		
				displayNa me			String	Jeff Samardzija	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporar yPIayerI d			Boolea n	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
			<b>catcher</b>	playerId			Integer	503535		Only available when &tvI=true & catcherInfo=true
				firstName			String	Konnor		
				lastName			String	Pilkington		
				uniform			String	45	May not be available for historical seasons	
			pitchSeque nce				String	Ball, Taken Strike, InPlay	See pitchDetailResults decode endpoint	
			<b>pitchDetail s[]</b>	sequence			Integer	1	Type, velocity, & location dependent upon TV availability	
				result			String	T (Taken Strike), B (Ball), F (Foul)	See pitchDetailResults decode endpoint	
				<b>pitchType</b>	pitchTypeI d		Integer	1	May lag behind pitch result	Only when &tvI=true
					name		String	Fastball		
					<b>fastballType</b>	fastballTypeI d	Integer	1		Only for Fastballs
					name		String	4-Seam Fastball		
				<b>velocity[]</b>	speedUnitI d		Integer	1		
					name		String	Miles Per Hour		
					abbreviatio n		String	MPH		
					speed		String (formatt ed decimal )	94.5		
				horizontalL ocation			Integer	7		
				verticalLoc ation			String	E		
				horizontalZ one Catcher			Integer	5		Only available when &tvI=true & catcherInfo=true
				verticalZon eCat cher			String	1		Only available when &tvI=true & catcherInfo=true
				balls			Integer	1	Number of balls before pitch	
				strikes			Integer	1	Number of strikes before pitch	
			<b>fielders[]</b>	playerId			Integer	453533		
				firstName			String	Eric		
				lastName			String	Hosmer		
				displayNa me			String	Eric Hosmer	Only appears when displayName should be used as	

TOP NODE	SUB NODE	SUB NODE 2	SUB NODE 3	SUB NODE 4	SUB NODE 5	SUB NODE 6	DATA TYPE	EXAMPLE	DESCRIPTION	AVAILABILITY
									a primary means of displaying a name	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				position	positionId		Integer	3	See positions decode endpoint.	
					name		String	1st Baseman		
					abbreviation		String	1B		
				isError			Boolean	false		
				errorType			String	1	null if not applicable	
			<b>runners[]</b>	playerId			Integer	287511		
				firstName			String	Lorenzo		
				lastName			String	Cain		
				displayName			String	Lorenzo Cain	Only appears when displayName should be used as a primary means of displaying a name. See name display decode endpoint.	
				uniform			String	18	May not be available for historical seasons	
				isTemporarilyPlayerId			Boolean	true	Only appears when true; indicates that this playerId is not permanent and will not work via /participants/	
				startBase			Integer	1		
				endBase			Integer	2		
			playText				String	Venable popped out to center fielder Bernadina	Description for single event	
			continuation				Boolean	true	When play is continued from previous play	
			<b>xInfo</b>	xInfold			Integer	1		
				name			String	Broken Bat	Only appear when available	
				playerId			Integer	328474		
				sequence			Integer	1		